




SINCE 1972



# WESTERN ICE MACHINE



Rhombic Shapes Ice



## SRM 45 A


### Western Ice Maker SRM 45 A

Ice Shape (mm)	Rhombic Cube (22 x 22 x 22)
Ice Production/24 Hrs ( kgs)	46 kgs AT 10 Deg C/WT 10 Deg C
	41 kgs AT 21 Deg C/WT 15 Deg C
	35 kgs AT 32 Deg C/WT 21 Deg C
Storage Capacity (kgs)	14 kg
Dimensions (W x D x H) (mm)	500 x 580 x 750
Net Weight (kgs)	36 kg
Electricity	220-240V/1N/50Hz;305Watts

# WESTERN ICE MACHINE

## SRM 80 A SRM 125 A

Rhombic Shapes Ice



### Western Ice Maker SRM 80 A

Ice Shape (mm)	Rhombic Cube (22 x 22 x 22)
Ice Production/24 Hrs ( kgs)	80 kgs AT 10 Deg C/WT 10 Deg C
	72 kgs AT 21 Deg C/WT 15 Deg C
	57 kgs AT 32 Deg C/WT 21 Deg C
Storage Capacity (kgs)	31.4 kg
Dimensions (W x D x H) (mm)	660 x 670 x 1050 mm
Net Weight (kgs)	56.5 kg
Electricity	220-240V/1N/50Hz; 450 Watts

### Western Ice Maker SRM 125 A

Ice Shape (mm)	Rhombic Cube(22 x 22 x 22)
Ice Production/24 Hrs ( kgs)	125 kgs AT 10 Deg C/WT 10 Deg C
	106 kgs AT 21 Deg C/WT 15 Deg C
	81 kgs AT 32 Deg C/WT 21 Deg C
Storage Capacity (kgs)	43.6 kg
Dimensions (W x D x H) (mm)	660 x 670 x 1200
Net Weight (kgs)	64.5 kg
Electricity	220-240V/1N/50Hz;590 Watts



#### Western Refrigeration Private Limited


7B Pannalal Silk Mills Compound, 78 L.B.S Marg, Bhandup (West),  
Mumbai, Maharashtra. Tel: 022-67161200/201.



# HOSHIZAKI

## ICE MACHINES

*The Perfect Ice!*





# -N Series





- Closed Cell Ice Making System
- Pure Hard Ice
- Auto Flush Cycle
- Reduced Water Consumption



Closed Water Circuit

## Cube Size



**IM 45 CNE**  
Capacity: 44kgs/day  
Cube size: L



**IM 65 NE LM**  
Capacity: 40kgs/day  
Cube size: LM



**IM 65 NE Q**  
Capacity: 26kgs/day  
Cube size: B



**IM 130 NE**  
Capacity: 130kgs/day  
Cube size: L



**IM 240 NE**  
Capacity: 240kgs/day  
Cube size: L



**IM 220AA**  
Capacity: 220kgs/day  
Cube size: L



ECOFRIENDLY



# Flake/Nugget Ice



**FM 80 / 150KE**  
Capacity: 85/150kgs/day



**FM 300 / 480 AKE**  
Capacity: 320/500kgs/day




**FM 600 AKE**  
Capacity: 600kgs/day




**FM 750 / 1000 AKE**  
Capacity: 750/1030kgs/day





- Solid Stainless Steel Auger
- Sealed Gear Housing
- Auto Flush Function
- Carbon Auger Bearings





Dual Stainless Steel Evaporator.  
Individual Hard Clear Crescent Cubes.



**KM 30A**  
Capacity: 36kgs/day



**KM 50A**  
Capacity: 52kgs/day



**KM 75A**  
Capacity: 72kgs/day



**KM 100A**  
Capacity: 101kgs/day



**KM 125A**  
Capacity: 128kgs/day



**KMD 201 AA**  
Capacity: 205kgs/day



**KMD 270 AA**  
Capacity: 265kgs/day



**KM 650MAH-E**  
Capacity: 333kgs/day



**KM 900 MAH-E**  
Capacity: 429kgs/day



**KM 1301 SAH-E**  
Capacity: 584kgs/day

## Optional Bins

Model	B-300 (144kgs)	B-500 (217kgs)	B-800 (348kgs)
			
	DIMENSIONS OF B SERIES (D:820, H 1106(mm))		
	W:560mm	W:760mm	W:1220mm
KMD 201AA	○	○	○
KMD 270AA	○	○	○
KM 650MAHE	○	○	○
KM 900MAHE		○	○
KM 1301SAHE			○
FM 300AKE	○	○	○
FM 480AKE	○	○	○
FM 600AKE	○	○	○
FM 750AKE	○	○	○
FM 1000AKE		○	○

## Ice Dispenser



**DCM 60 / 120KE**  
Capacity: 110/230 cups/hour

# Technical Specifications

Model	Type of Ice	Production Capacity (kgs/day)		Bin Capacity	Machine Dimensions (mm) (WxDXH) (Excl Legs)	Shipping Weight (kgs)	
		A.T.2fC	W.T.15C				A.T.3fC
IM-45CNE	Cube	40		32	15	633 x 506 x 690	55
IM-65 NE LM	Cube	33		25	26	633 x 506 x 860	61
IM-65 NE Q	Cube	24		20	17	633 x 506 x 860	61
IM-130 NE	Cube	112		96	50	704 x 506 x 1200	84
IM-240 NE	Cube	230		210	110	704 x 665 x 1510	122
IM-220 AA	Cube	200		175	Various	560 x 639 x 775	76
KM-30 A	Crescent	32		25	16	450 x 610 x 840	49
KM-50A	Crescent	50		41	23	603 X 610 X 840	58
KM-75A	Crescent	70		55	40	603 X 712 X 840	64
KM-100A	Crescent	88		64	45	612 X 712 X 840	82
KM-125A	Crescent	115		102	55	762 X 712 X 840	92
KMD 201 AA	Crescent	167		135	Various	560 X 625 X 610	73
KMD 270 AA	Crescent	248		221	Various	560 x 625 x 610	73
KM650-MAHE	Crescent	277		207	Various	560 x 695 x 950	91
KM-900MAHE	Crescent	392		321	Various	762 X 695 X 950	128
KM-1301SAHE	Crescent	522		465	Various	1219 X 695 X 695	143
FM-80KE	Flake	75		60	26	640x600x800	75
FM-150 KE	Flake	130		110	26	640 x 600 x 800	82
FM 300 AKE	Flake	260		200	Various	560 x 700 x 780	87
FM 480 AKE	Flake	452		325	Various	560 x 700 x 780	102
FM 600 AKE	Flake	540		445	Various	560 x 700 x 780	114
FM 750 AKE	Flake	650		530	Various	762 x 700 x 780	143
FM 1000 AKE	Flake	890		740	Various	762 x 700 x 780	156
DCM-60KE	Cubelet	99 cups/hour		87 cups/hour	1.9	350 x 480 x 695	52
DCM-120KE	Cubelet	209 cups/hour		188 cups/hour	4	350 x 585 x 815	67

For Detailed Specifications Please Contact Us. \*Each Cup = 40g \*Operating Conditions : A=40 Deg C; W=35 Deg C

Due to continuous product improvement technical specifications are subject to change

\*\*Under simulated R&D ambient test conditions



## Western Service Network



### TOTAL SUPPORT

Sales and Service Network of 21 centres ensures after sales service and maintenance of all Western equipments.

**WEST ZONE: Regional Office Mumbai** : Bearing no 433 ,4th Floor, Avior building, Nirmai Galaxy, Opp Johnson & Johnson garden, LBS Marg, Mulund (West) Pin Code 400080 Phone:- 67698181 **Ahmedabad**: 1, Niamkunj Society, Beside Gokulnathi Temple, Meera Char Rasta, Shahalam, Maninagar, Ahmedabad -380028 Phone :- 079-32981714 **MP** : 97 Sector C, Indrapuri, Near Syndicate Bank. Bhopal Pin 462021 Phone: - 9039000303 **Pune**: Ph.976559949 **Nasik**: Ph. 976559949

**EAST ZONE: Kolkata** : 72, Back Bagan Row, Flat No 2A, 2nd Floor, Kolkata 700017 Phone :- 033-30022531 to 38 **Bhubaneswar** : S B Bhawan, Plot No -1774/3740, Sabara Sahi Lane, Kalpena square, Bhubaneswar -751006 Phone. 7873789070 **Guwahati** : Ph.9864454501

**NORTH ZONE: Delhi** : Hated Complex, Block-B, Main Ring Road, Near Wazirpur Depot, New Delhi.110035 Phone: - 011- 27188353/54 **Jaipur** : Hallmark special (F) Road No-1, Industrial Estate, 22 Godown, Jaipur -302006 Phone: - 0141-2211019 **Lucknow** : 521 - K/97 Chappar Kala, Near Union Bank Training Center, Maha Nagar, Lucknow - 226001 Phone: - 9919466664 **Ludhiana** : 4222/1, Street No- 7, Beant Pura, Chandigarh Road, Ludhiana -141010. Phone:- 0161-5052850/5058850 **Chandigarh** : Building no 627, 2nd Floor, Keshavram Complex, Sector 45 C, Chandigarh - 160045 Phone: - 0172-5088384 **Jammu** : Near Amar Auto Mobile, NH-1A, Barahamans, Jammu - 181133 Phone: - 9419228046

**SOUTH ZONE: Chennai** : Bansar Haven, No 6, First Cross Street, Raghavan Colony, Ashok Nagar, Chennai - 600083 Phone:- 044-24742440/2460 **Coimbatore** : 21/B, Govindswamy Layout, Sivanand Colony, Coimbatore-641012 Phone: - 0422 - 4374568 /4394554 **Cochin**: Building No: 12/432b, Raman Kartha Road, Cheranalloor Temple Stop, Eranalloor, Kochi - 682034. Phone:- 0484-3255623 **Hyderabad** : D.No:2-99, K.S.Towers, Vennalagga, Bank Colony, Jeedimetla Village - Beside Sarvotham Care, Near Suchitra Center, Hyderabad, R.R.Dist -500055. Phone:- 040-200 000 72 / 9885810969 **Bengaluru** : 21/27 & 20/26, Rama Naidu Bldg, 3rd Cross, Thavarekere Main Rd, Chickkaadugudi, Bengaluru-560029 Phone:- 080-25532494/25536946

### WESTERN REFRIGERATION PVT. LTD.

Head Office: 7/B Pannalal Silk Mills Compound,  
78 L.B.S. Marg, Bhandup (W), Mumbai: 400 078.

Tel: 022-67161200/ 201

Email: kesales@westernequipments.com

Website: www.westernequipments.com





# BOUNDLESS COOLING POSSIBILITIES

WITH OUR FREEZERS - ENGINEERED FOR EXCELLENCE



# Hard Top Convertible Freezers



## D070H161

**Gross Volume:** 72 Liters  
**Net Volume:** 67 Liters  
**Dimensions (mm):** 535 (W) x 518 (D) x 841 (H)  
**No. of Baskets:** 1  
**Insulation:** 60mm Polyurethane



## D150H164

106 Liters  
 105 Liters  
 635 (W) x 540 (D) x 885 (H)  
 1  
 70mm Polyurethane



## D225H122

190 Liters  
 168 Liters  
 760 (W) x 695 (D) x 840 (H)  
 1  
 60mm Polyurethane



## D300H124

**Gross Volume:** 220 Liters  
**Net Volume:** 216 Liters  
**Dimensions (mm):** 933 (W) x 612 (D) x 890 (H)  
**No. of Baskets:** 1  
**Insulation:** 70mm Polyurethane



## D300H224

224 Liters  
 215 Liters  
 933 (W) x 612 (D) x 890 (H)  
 1  
 70mm Polyurethane



## D325H223

301 Liters  
 269 Liters  
 1060 (W) x 695 (D) x 840 (H)  
 1  
 60mm Polyurethane

**Convertible Technology:** Freezer or Cooler

**Temperature Range:** Freezer application: <-18°C, Cooler application: <10°C



### D350H225

**Gross Volume:** 282 Liters  
**Net Volume:** 280 Liters  
**Dimensions (mm):** 1205 (W) x 612 (D) x 840 (H)  
**No. of Baskets:** 1  
**Insulation:** 70mm Polyurethane

### D375H225

**Gross Volume:** 306 Liters  
**Net Volume:** 302 Liters  
**Dimensions (mm):** 1205 (W) x 612 (D) x 890 (H)  
**No. of Baskets:** 1  
**Insulation:** 70mm Polyurethane

### D475H224

**Gross Volume:** 444 Liters  
**Net Volume:** 402 Liters  
**Dimensions (mm):** 1360 (W) x 695 (D) x 880 (H)  
**No. of Baskets:** 2  
**Insulation:** 60mm Polyurethane



### D525H224

**Gross Volume:** 505 Liters  
**Net Volume:** 454 Liters  
**Dimensions (mm):** 1606 (W) x 695 (D) x 840 (H)  
**No. of Baskets:** 2  
**Insulation:** 60mm Polyurethane

### D550H225

**Gross Volume:** 527 Liters  
**Net Volume:** 502 Liters  
**Dimensions (mm):** 1666 (W) x 695 (D) x 848 (H)  
**No. of Baskets:** 2  
**Insulation:** 60mm Polyurethane

### D625H225

**Gross Volume:** 568 Liters  
**Net Volume:** 542 Liters  
**Dimensions (mm):** 1666 (W) x 690 (D) x 900 (H)  
**No. of Baskets:** 2  
**Insulation:** 60mm Polyurethane

### D875H325

**Gross Volume:** 722 Liters  
**Net Volume:** 703 Liters  
**Dimensions (mm):** 1860 (W) x 780 (D) x 908 (H)  
**No. of Baskets:** 1  
**Insulation:** 60mm Polyurethane

**Temperature Range:** Freezer application: <-18°C, Cooler application: <10°C

**Convertible Technology:** Freezer or Cooler

# Glass Top Freezers



## F250GL25

**Gross Volume:** 192 Liters  
**Net Volume:** 161 Liters  
**Dimensions (mm):** 760 (W) x 695 (D) x 882 (H)  
**No. of Baskets:** 1



## F350GL25

**Gross Volume:** 311 Liters  
**Net Volume:** 258 Liters  
**Dimensions (mm):** 1060 (W) x 695 (D) x 882 (H)  
**No. of Baskets:** 2



## F450GL25

**Gross Volume:** 422 Liters  
**Net Volume:** 357 Liters  
**Dimensions (mm):** 1360 (W) x 695 (D) x 882 (H)  
**No. of Baskets:** 3



## F550GL25

**Gross Volume:** 536 Liters  
**Net Volume:** 454 Liters  
**Dimensions (mm):** 1650 (W) x 695 (D) x 882 (H)  
**No. of Baskets:** 4

**Temperature Range:** <-18°C | **Insulation:** 60mm Polyurethane

# Curved Glass Top Freezers



## F325GC24

**Gross Volume:** 284 Liters  
**Net Volume:** 223 Liters  
**Dimensions (mm):** 1095 (W) x 644 (D) x 888 (H)  
**No. of Baskets:** 2



## F425GC24

**Gross Volume:** 350 Liters  
**Net Volume:** 276 Liters  
**Dimensions (mm):** 1296 (W) x 644 (D) x 888 (H)  
**No. of Baskets:** 3

**Temperature Range:** <-18°C | **Insulation:** 60mm Polyurethane

# Combi Freezers



## B325H220

**Gross Volume:** Freezer- 162 L / Cooler- 123 L  
**Net Volume:** Freezer- 146 L / Cooler- 114 L  
**Dimensions (mm):** 1120 (W) x 695 (D) x 840 (H)  
**No. of Baskets:** 1 in Freezer Section

## B425H220

**Gross Volume:** Freezer- 162 L / Cooler- 205 L  
**Net Volume:** Freezer- 145 L / Cooler- 188 L  
**Dimensions (mm):** 1360 (W) x 695 (D) x 840 (H)  
**No. of Baskets:** 1 in Freezer Section

## B525H220

**Gross Volume:** Freezer- 215 L / Cooler- 258 L  
**Net Volume:** Freezer- 192 L / Cooler- 235 L  
**Dimensions (mm):** 1610 (W) x 695 (D) x 840 (H)  
**No. of Baskets:** 1 in Freezer Section

**Temperature Range:** Freezer application: <-18°C, Cooler Compartment: <10°C | **Insulation:** 55mm Polyurethane

# Hatched Door & Hard Top Eutectic Freezers



	<b>E325H220</b>	<b>E425H220</b>	<b>E425D220</b>	<b>E525D320</b>
<b>Gross Volume:</b>	253 Liters	351 Liters	351 Liters	440 Liters
<b>Net Volume:</b>	236 Liters	329 Liters	329 Liters	406 Liters
<b>Dimensions (mm):</b>	1060 (W) x 695 (D) x 840 (H)	1360 (W) x 695 (D) x 840 (H)	1360 (W) x 695 (D) x 920 (H)	1600 (W) x 695 (D) x 920 (H)
<b>No. of Baskets:</b>	1	2	N.A.	N.A.

Temperature Range: <-18°C | Insulation: 80mm Polyurethane

# Glass Top Eutectic Freezers

# Scooping Freezers



	<b>E425GT20</b>	<b>F450GT25</b> Scooping	<b>F550GT25</b> Scooping
<b>Gross Volume:</b>	354 Liters	422 Liters	536 Liters
<b>Net Volume:</b>	329 Liters	357 Liters	454 Liters
<b>Dimensions (mm):</b>	1360 (W) x 695 (D) x 795 (H)	1360 (W) x 695 (D) x 1266 (H)	1650 (W) x 695 (D) x 1266 (H)
<b>No. of Baskets:</b>	2	3	4
<b>Temperature Range:</b>	<-18°C	<-18°C	
<b>Insulation:</b>	80mm Polyurethane	60mm Polyurethane	

# Freezer on Wheels



## G200H120

**Gross Volume:** 117 Liters  
**Net Volume:** 115 Liters  
**Dimensions (mm):** 940 (W) x 640 (D) x 785 (H)  
**No. of Baskets:** N.A.  
**Temperature Range:** <-18°C  
**Insulation:** 60mm Polyurethane

## G250H120

142 Liters  
 139 Liters  
 940 (W) x 640 (D) x 905 (H)  
 N.A.  
 <-18°C  
 65mm Polyurethane

## G300H220

206 Liters  
 202 Liters  
 990 (W) x 633 (D) x 890 (H)  
 N.A.  
 <-18°C  
 60mm Polyurethane

# Vertical Freezers



Also Available in Edge Lit

## SRF205HC-GL

**Gross Volume:** 138 Liters  
**Net Volume:** 109 Liters  
**Dimensions (mm):** 514 (W) x 549 (D) x 1265 (H)  
**No. of Shelves:** 3

## SRF350HC1-GLI

341 Liters  
 287 Liters  
 623 (W) x 680 (D) x 1790 (H)  
 4

## SRF550HC-GLI

467 Liters  
 405 Liters  
 623 (W) x 715 (D) x 2099 (H)  
 6

## SRF900HC-GL

762 Liters  
 672 Liters  
 920 (W) x 780 (D) x 2128 (H)  
 10

**Temperature Range:** Freezer application: <-18°C

# Supermarket

## Freezers



### SMF12-GL

**Gross Volume:** 935 Liters  
**Net Volume:** 863 Liters  
**Dimensions (mm):** 1200 (W) x 757 (D) x 1930 (H)  
**Temp. Range** -18°C to -23°C  
**No. of Shelves:** 10

### SMF18-GL

**Gross Volume:** 1454 Liters  
**Net Volume:** 1236 Liters  
**Dimensions (mm):** 1800 (W) x 757 (D) x 1930 (H)  
**Temp. Range** -18°C to -23°C  
**No. of Shelves:** 15

#### SOUTH ZONE:

- Chennai** : Old No.14, New No. 47, 12th Avenue, Ashok Nagar, Chennai-600 083.  
**Coimbatore** : Priya Ware House, No.52/1, Uzhalaipalar Street, Periyagounden, Thottam, Urumandampalayam, G.N. Mills Post, Coimbatore-641 029.  
**Cochin** : B.No: 2/378A, Methanam Road, Eloor North, Udyogamandal P.O. Kochi-683 501.  
**Hyderabad** : D. No: 2 - 99, K.S.Towers, Vennelagadda, Besides Sarvothama Care, Near Suchitra Centre, Jedimetla (V), Hyderabad-500 055.  
**Bangalore** : Survey 42/1, Katha No. 191/142/1, Haralukkute Village, Begur Hobli, Trio Apparels Compound, Hosapalya, Muneshwar Nagar, Kudlu Main Road, Bangalore-560 068.  
**Vijaywada** : Door No.2-105/2, Kamakshi Godown, Nallagunta Centre, Gollapudi, Vijayawada Rural, Krishna Dist., AP-521 225.  
**Vizag** : Served from Vijaywada.  
**Hubli** : C/O -Madhuban Industries, Plot No. 117, 179 Rayapur Industrial Area, Behind Navalur Railway Goods Shed, Dharwad-580 009 (Karnataka)

#### EAST ZONE

- Kolkata** : 19A Jawaharlal Nehru Road, 3rd Floor, Flat No. D/1, Kolkata-700 087.  
**Bhubaneswar** : C/O-Lingaraj Body Building Works, Plot No-1143, Near U.G.M.E School, At Hanspal, PS-Mancheswar, Bhubaneswar-752 101 (ODISHA).  
**Patna** : S S Vihar, 4th Floor, Flat No.107, Station Road, Karbigahiya, Beside Bhagawati Complex and Ram Dulari Hotel, Patna-800 001.  
**Guwahati** : 1st Floor, Upasana Palace Complex, R P Road, Ganeshguri, Guwahati, Kamrup Metropolitan Guwahati - 781 006, Assam.  
**Ranchi** : Lower Chutia, Samlong, Ranchi, Jharkhand-834 001.  
**Chattisgarh** : Acharya Nanes Marg, D-272 M.R. Colony Tagore Nagar Square, Raipur-492 001 (CG)

#### WEST ZONE:

- Mumbai RO** : 7B Pannalal Silk Mills Compound, 78 LBS Marg, Bhandup (W), Mumbai, Maharashtra.  
**Mumbai HO** : 501-505, 05th Floor, Ascot Centre, Sahar Road, Beside Hotel Hilton, Andheri (East), Mumbai-400 099  
**Pune** : 2163/26, Manas Building, Near Nilayam theatre, Sadashiv Peth, Pune-411 030.  
**Nashik** : Bilvadal Bungalow, Gaikwad Mala, Near Jain Bhavan, Nasik Road, Pin-422 101.  
**Nagpur** : Plot No. 54, Veer Sawarkar Nagar, Near Chhatrapati Square, Nagpur-440 015.  
**Ahmedabad** : 203, ABC -II, Opp. Wagh Bakri Tea Lounge, Near St. Xavier College Corner, Off CG Road, Navrangpura, Ahmedabad-380 009.  
**Rajkot** : Served From Ahmedabad.  
**Goa** : Shop No. 1 & 2, Ground Floor, Bearing S.V.No. 82/4, Mercurim, Agassaim-403 204, Goa.  
**Indore** : Plot No.160 PU 4 Scheme No. 54, A.B. Road, Indore-452 001.  
**Vapi** : Contact No. 7567533958

#### NORTH ZONE:

- Delhi** : Unit No. GH-1, Ground Floor, Vardhman Grand Plaza, Manglam Place, Sector-3, Rohini, Delhi-110 085.  
**Jaipur** : Hall Mark, Special ("F"), Road No. 1, Industrial Estate 22 Godam, Jaipur, Rajasthan-302 006.  
**Lucknow** : Ho. No. 610/2395 (533a) Faizullahganj - 3, Keshav Nagar, Sitapur Road, Lucknow (U.P)-226 021.  
**Ludhiana Chandigarh** : 4222/1, Bent Pura, Chandigarh Road, Behind Sictech Computer, Ludhiana-141 010.  
 : Near Hotel KK Residency Shop No. 1, House No. 213 Sector 52, Village-Kajheri Chandigarh (U.T)-160 047.  
**Jammu** : Birpur, Purmandal Road, Samba Jammu-181 133 (INDIA).



#### RELIABLE SERVICE

Our extensive service network ensures swift service and maintenance for all Western Equipment.

Call us at : **70450 17000**



#### COMPLETE SALES SUPPORT

With 25 branches across India, we're here to fulfill all your refrigeration needs.

Reach out at : **022 6907 0000**



#### Western Refrigeration Pvt. Ltd.

Office Premises 501-505, 5th Floor, Ascot Centre, Sahar Road, Next to Hotel Hilton, Andheri (East), Mumbai-400 099.  
 Email ID: sales@westernequipments.com  
 Contact No.: 022 6788 1200 / 201  
 Website: www.westernequipments.com



WANT TO KNOW MORE?  
**SCAN HERE!**



# CONFECTIONARY CABINET



MADE   
IN   
INDIA 

CAKE  
PASTRY  
SWEETS

ONE SOLUTION FOR  
KEEPING ALL THIS FRESH!



**PTW  
06**

### PASTRY CABINET PTW06

Gross Volume (Ltr.)	232
Net Volume (Ltr.)	205
External Dims. (mm)	600 (W) x 665 (D) x 1235 (H)
Internal Dims. (mm)	510 (W) x 596 (D) x 710 (H)
Foot Print (Sq Mtr.)	0.4
Refrigerant	R290
Temperature Range	2° to 10° C
Shelves (Nos.)	Base + 3 Shelves

#### AVAILABLE VARIANTS

HOT CABINET | AMBIENT CABINET



**PTW  
09**

### PASTRY CABINET PTW09

Gross Volume (Ltr.)	360
Net Volume (Ltr.)	320
External Dims. (mm)	900 (W) x 665 (D) x 1235 (H)
Internal Dims. (mm)	810 (W) x 570 (D) x 710 (H)
Foot Print (Sq Mtr.)	0.6
Refrigerant	R290
Temperature Range	2° to 10° C
Shelves (Nos.)	Base + 3 Shelves

#### AVAILABLE VARIANTS

HOT CABINET | AMBIENT CABINET

- Adjustable Glass Shelves
- Electronic Temperature Control
- Roller Wheels (PTW 06)
- LED Lamps for Individual Shelves
- Water fall shelf design for better display
- Faster Pull Down
- Stainless Steel Inner Bottom Shelf
- On/Off Switch for Lights and Glass Heater
- Strong shelving
- Front Heated Glass
- Castor Wheel for Easy Movement
- Wire on Tube Condenser for Low Maintenance

### PASTRY CABINET PTW12

Gross Volume (Ltr.)	500
Net Volume (Ltr.)	435
External Dims. (mm)	1200 (W) x 665 (D) x 1235 (H)
Internal Dims. (mm)	1110 (W) x 570 (D) x 710 (H)
Foot Print (Sq Mtr.)	0.8
Refrigerant	R290
Temperature Range	2° to 10° C
Shelves (Nos.)	Base + 3 Shelves

#### AVAILABLE VARIANTS

HOT CABINET  
 AMBIENT CABINET | LOW COST VARIANT  
 STAINLESS STEEL VARIANT



PTW  
12

### PASTRY CABINET PTW15

Gross Volume (Ltr.)	660
Net Volume (Ltr.)	577
External Dims. (mm)	1500 (W) x 665 (D) x 1235 (H)
Internal Dims. (mm)	1410 (W) x 570 (D) x 710 (H)
Foot Print (Sq Mtr.)	1
Refrigerant	R290
Temperature Range	2° to 10° C
Shelves (Nos.)	Base + 3 Shelves

#### AVAILABLE VARIANTS

HOT CABINET | AMBIENT CABINET



PTW  
15

- Adjustable Glass Shelves
- Electronic Temperature Control
- LED Lamps for Individual Shelves
- Water fall shelf design for better display
- Strong shelving
- Faster Pull Down
- Stainless Steel Inner Bottom Shelf
- On/Off Switch for Lights and Glass Heater
- Front Heated Glass
- Castor Wheel for Easy Movement
- Wire on Tube Condenser for Low Maintenance



# Golden Confectionary Cabinet

## FEATURES

- Elegantly Golden Radiance
- Sturdy Waterfall Shelving for Optimal Display
- Durable Shelves Designed to Support Mithai Weights
- Seamless Customization with Adjustable Shelving
- Secure Power System with Anti-Rodent Conduit Protection

## SPECIFICATIONS

	PTW09HC-GD	PTW12HC-GD	PTW15HC-GD
Gross Volume (Ltr.)	360	500	660
Net Volume (Ltr.)	320	435	577
External Dimensions (mm)	900 (W) x 665 (D) x 1235 (H)	1200 (W) x 665 (D) x 1235 (H)	1500 (W) x 665 (D) x 1235 (H)
Internal Dimensions (mm)	810 (W) x 570 (D) x 710 (H)	1110 (W) x 570 (D) x 710 (H)	1410 (W) x 570 (D) x 710 (H)
Foot Print (Sq. Mtr.)	0.6	0.8	1
Refrigerant	R290	R290	R290
Temperature Range	2 to 10 <sup>o</sup> C	2 to 10 <sup>o</sup> C	2 to 10 <sup>o</sup> C
Shelves (Nos.)	3 + 1	3 + 1	3 + 1

### SOUTH ZONE:

<b>Chennai</b>	: Old No.14, New No. 47, 12th Avenue, Ashok Nagar, Chennai-600 083.
<b>Coimbatore</b>	: Priya Ware House, No.52/1, Uzhalaipalar Street, Periyagounden, Thottam, Urumandampala layam, G.N. Mills Post, Coimbatore-641 029.
<b>Cochin</b>	: B.No: 2/378A, Methanam Road, Eloor North, Udyogamandal P.O. Kochi-683 501.
<b>Hyderabad</b>	: D. No: 2 - 99, K.S.Towers, Vennelagadda, Besides Sarvothama Care, Near Suchitra Centre, Jedimetla (V), Hyderabad-500 055.
<b>Bangalore</b>	: Survey 42/1, Katha No. 191/142/1, Haralukkute Village, Begur Hobli, Trio Apparels Compound, Hosapalya, Muneshwar Nagar, Kudlu Main Road, Bangalore-560 068.
<b>Vijaywada</b>	: Door No.2-105/2, Kamakshi Godown, Nallagunta Centre, Gollapudi, Vijaywada Rural, Krishna Dist., AP-521 225.
<b>Vizag</b>	: Served from Vijaywada.
<b>Hubli</b>	: C/O -Madhuban Industries, Plot No. 117, 179 Rayapur Industrial Area, Behind Navalur Railway Goods Shed, Dharwad-580 009 (Karnataka)

### EAST ZONE

<b>Kolkata</b>	: 19A Jawaharlal Nehru Road, 3rd Floor, Flat No. D/1, Kolkata-700 087.
<b>Bhubaneswar</b>	: C/O-Lingaraj Body Building Works, Plot No-1143, Near U.G.M.E School, At Hanspal, PS-Mancheswar, Bhubaneswar-752 101 (ODISHA).
<b>Patna</b>	: S S Vihar, 4th Floor, Flat No.107, Station Road, Karbigahiya, Beside Bhagawati Complex and Ram Dulari Hotel, Patna-800 001.
<b>Guwahati</b>	: 1st Floor, Upasana Palace Complex, R P Road, Ganeshguri, Guwahati, Kamrup Metropolitan Guwahati - 781 006, Assam.
<b>Ranchi</b>	: Lower Chutia, Samlong, Ranchi, Jharkhand-834 001.
<b>Chattisgarh</b>	: Acharya Nanesh Marg, D-272 M.R. Colony Tagore Nagar Square, Raipur-492 001 (CG)

### WEST ZONE:

<b>Mumbai RO</b>	: 7B Pannalal Silk Mills Compound, 78 LBS Marg, Bhandup (W), Mumbai, Maharashtra.
<b>Mumbai HO</b>	: 501-505, 05th Floor, Ascot Centre, Sahar Road, Beside Hotel Hilton, Andheri (East), Mumbai-400 099
<b>Pune Nashik</b>	: 2163/26, Manas Building, Near Nilayam theatre, Sadashiv Peth, Pune-411 030. : Bilvadal Bungalow, Gaikwad Mala, Near Jain Bhavan, Nasik Road, Pin-422 101.
<b>Nagpur</b>	: Plot No. 54, Veer Sawarkar Nagar, Near Chhatrapati Square, Nagpur-440 015.
<b>Ahmedabad</b>	: 203, ABC -II, Opp. Wagh Bakri Tea Lounge, Near St. Xavier College Corner, Off CG Road, Navrangpura, Ahmedabad-380 009.
<b>Rajkot</b>	: Served From Ahmedabad.
<b>Goa</b>	: Shop No. 1 & 2, Ground Floor, Bearing S.V.No. 82/4, Mercurim, Agassaim-403 204, Goa.
<b>Indore</b>	: Plot No.160 PU 4 Scheme No. 54, A.B. Road, Indore-452 001.
<b>Vapi</b>	: Contact No. 7567533958

### NORTH ZONE:

<b>Delhi</b>	: Unit No. GH-1, Ground Floor, Vardhman Grand Plaza, Manglam Place, Sector-3, Rohini, Delhi-110 085.
<b>Jaipur Lucknow</b>	: Hall Mark, Special ("F"), Road No. 1, Industrial Estate 22 Godam, Jaipur, Rajasthan-302 006. : Ho. No. 610/2395 (533a) Faizullahganj - 3, Keshav Nagar, Sitapur Road, Lucknow (U.P.)-226 021.
<b>Ludhiana Chandigarh</b>	: 4222/1, Bent Pura, Chandigarh Road, Behind Sictech Computer, Ludhiana-141 010. : Near Hotel KK Residency Shop No. 1, House No. 213 Sector 52, Village-Kajheri Chandigarh (U.T.)-160 047.
<b>Jammu</b>	: Birpur, Purmandal Road, Samba Jammu-181 133 (INDIA).



### Western Refrigeration Pvt. Ltd.

Office Premises 501-505, 5th Floor,  
Ascot Centre, Sahar Road, Next to Hotel Hilton,  
Andheri (East), Mumbai-400 099.  
Email ID: sales@westernequipments.com  
Contact No.: 022 6788 1200 / 201  
Website: www.westernequipments.com



WANT TO KNOW MORE?  
SCAN HERE!