

Scotsman®

CATALOGUE 2026





ICE
IS
US

ART OF MAKING ICE

MAKE
ICE
COOL

MAKING ART WITH ICE



Scotsman

Welcome to Scotsman

The industry's only complete
solution for highly efficient,
superior-performing ice
systems.





Worldwide footprint

Manufacturing facilities strategically located in the USA, Italy and China to better serve our markets.



Italy

China



Unmatched Market Coverage

We have the largest network
in the world, distributing
products in over
100 countries and serving
over a million customers.

International HQ
MILAN

Americas HQ
CHICAGO

Regional Office
DUBAI


Regional Office
SINGAPORE

Sales Office
JOHANNESBURG

Sales Office
MADRID

Sales Office
SHANGHAI







Hotels and
Fine Dining



Premium
Mixology



QSR and
Casual Dining



Coffee Chains
and Speciality



Airlines and
Cruise Ships



Food Retail &
CVs Stores

The new era of Scotsman ice machines



EXS

THE NEW SQUARE
CUBE SERIES



AXG - EXG

THE NEXT GOURMET
GENERATION

Discover
more



NXW

THE NEXT
DICE ICE SERIES



DXN

THE REVOLUTION
IN ICE DISPENSING

A high-contrast, black and white photograph of numerous ice cubes scattered on a dark, reflective surface. The ice cubes are in various stages of melting, with some showing distinct water droplets and puddles. The lighting creates sharp highlights and deep shadows, emphasizing the textures and facets of the ice. The overall mood is cold and refreshing.

Every cube,
an experience



Square
gourmet ice



Gourmet
Ice



Dice
Ice



Nugget &
Cubelet Ice



Flake
Ice



Scale
Ice



SQUARE GOURMET



Perfectly square and clear, solid, and slow-melting, it is ideal for enhancing premium cocktails, whisky, spirits, and high-end mixed drinks.



**Square
Gourmet**

24 g - Ø 30 mm
H 30 mm

NEW EXS SERIES - R290

XSafe



Specsheets



Stainless steel finishing

Front access for easier maintenance.

Built-in storage bin

PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.

SELF SANITATION System XSafe®

Low power and water consumption

R290 refrigerant

Electronic control board

EXS 87

Cube size:

Square cube

Condensing system:

Air cooled

Max daily production:

44 kg Square cube

EXS 107

Cube size:

Square cube

Condensing system:

Air cooled

Max daily production:

50 kg Square cube

EXS 167

Cube size:

Square cube

Condensing system:

Air cooled

Max daily production:

79 kg Square cube



Storage bin capacity:

17 kg

Dimensions:

W 485 mm

D 575 mm

H 816 mm



Storage bin capacity:

18 kg

Dimensions:

W 485 mm

D 575 mm

H 816 mm



Storage bin capacity:

33 kg

Dimensions:

W 670 mm

D 595 mm

H 893 mm





GOURMET



Crystal clear, pure, hard and long-lasting ice cubes.
Ideal for up-scale operations such as hotels, fine dining, specialty coffee and high-end bars.
Its fast cooling action and slow dilution keep drinks chilled for a long time.



**Small
Gourmet**

8 g - Ø 21 mm
H 25 mm



**Medium
Gourmet**

20 g - Ø 30 mm
H 34 mm



**Large
Gourmet**

39 g - Ø 38 mm
H 41 mm



**Extra Large
Gourmet**

60 g - Ø 44 mm
H 46 mm

NEW EXG SERIES - R290

XSafe



Specsheets



EXG 47

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

25 kg Medium cubes

EXG 67

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

30 kg Medium cubes

EXG 87

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

45 kg Medium cubes

EXG 107

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

55 kg Medium cubes



Storage bin capacity:

8 kg

Dimensions:

W 400 mm

D 555 mm

H 640 mm



Storage bin capacity:

11,5 kg

Dimensions:

W 400 mm

D 555 mm

H 700 mm



Storage bin capacity:

21 kg

Dimensions:

W 540 mm

D 555 mm

H 800 mm



Storage bin capacity:

21 kg

Dimensions:

W 540 mm

D 555 mm

H 800 mm

Crystal clear Gourmet® solid ice cubes

- Meets ENERGY STAR and LEED Eligibility Criteria
- SELF SANITATION System XSafe®
- Natural refrigerant R290 with GWP 3 and ODP 0
- Total FRONT VENTILATION made for BULT-IN installation
- Stylish black colour finishing
- Integrated DRAIN PUMP (no need for gravity drain)
- User friendly internal cleaning, no tools needed
- Remote service support capability with XWave free App.
- Delayed automatic start
- 3D ventilation grid with removable air filter
- Magnetic scoop holder

EXG 167

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

74 kg Medium cubes

EXG 207

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

96 kg Medium cubes

EXG 307

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

150 kg Medium cubes



Storage bin capacity:

39 kg

Dimensions:

W 680 mm

D 600 mm

H 920 mm / 1010 mm with legs



Storage bin capacity:

51 kg

Dimensions:

W 750 mm

D 585 mm

H 1000 mm



Storage bin capacity:

72 kg

Dimensions:

W 850 mm

D 756 mm

H 1000 mm

NEW AXG SERIES - R290

XSafe



Specsheets



AXG 47

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

25 kg Medium cubes

AXG 67

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

30 kg Medium cubes

AXG 87

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

45 kg Medium cubes

AXG 107

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

52 kg Medium cubes



Storage bin capacity:

8 kg

Dimensions:

W 400 mm

D 555 mm

H 640 mm



Storage bin capacity:

11.5 kg

Dimensions:

W 400 mm

D 555 mm

H 700 mm



Storage bin capacity:

21 kg

Dimensions:

W 540 mm

D 555 mm

H 800 mm



Storage bin capacity:

21 kg

Dimensions:

W 540 mm

D 555 mm

H 800 mm

Crystal clear Gourmet® solid ice cubes

- Meets ENERGY STAR and LEED Eligibility Criteria
- Natural refrigerant R290 with GWP 3 and ODP 0
- Total FRONT VENTILATION made for BUILT-IN installation
- Stylish black colour finishing
- User friendly internal cleaning, no tools needed
- Remote service support capability with XWave free App.
- Delayed automatic start
- 3D ventilation grid with removable air filter
- Magnetic scoop holder

AXG 167

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

74 kg Medium cubes

AXG 207

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

96 kg Medium cubes

AXG 307

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

150 kg Medium cubes



Storage bin capacity:

39 kg

Dimensions:

W 680 mm

D 600 mm

H 920 mm / 1010 mm with legs



Storage bin capacity:

51 kg

Dimensions:

W 750 mm

D 585 mm

H 1000 mm



Storage bin capacity:

72 kg

Dimensions:

W 850 mm

D 756 mm

H 1000 mm

EC SERIES - R290

XSafe



Specsheets



EC 47

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
27 kg Medium cubes

EC 57

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
34 kg Medium cubes

EC 87

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
44 kg Medium cubes

EC 107

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
54 kg Medium cubes



Storage bin capacity:
9 kg
Dimensions:
W 386 mm
D 600 mm
H 645 mm



Storage bin capacity:
12 kg
Dimensions:
W 386 mm
D 600 mm
H 695 mm



Storage bin capacity:
19 kg
Dimensions:
W 531 mm
D 600 mm
H 785 mm / 825 mm with legs



Storage bin capacity:
23 kg
Dimensions:
W 531 mm
D 600 mm
H 840 mm / 930 mm with legs

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Clean alert: advises with a blink when it's time to clean the filter.

Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.

Scale accumulation preventing system: traps ice makers' enemy No. 1 in one place and makes it harmless.

Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier.

PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.

Built-in storage bin: allows most undercounter installations for easier fit-in solutions.

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

The full EcoX range is available on AC series as well.

EC 127

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

75 kg Medium cubes

EC 177

Cube size:

Medium cube

Condensing system:

Air cooled

Max daily production:

83 kg Medium cubes

EC 207

Cube size:

Small cube

Medium cube

Large cube

Extra Large cube

Condensing system:

Air cooled

Water cooled

Max daily production:

150 kg Medium cubes

EC 227

Cube size:

Small cube

Medium cube

Large cube

Condensing system:

Air cooled

Water cooled

Max daily production:

170 kg Medium cubes



Storage bin capacity:

39 kg

Dimensions:

W 680 mm

D 600 mm

H 920 mm / 1010 mm with legs

Storage bin capacity:

48 kg

Dimensions:

W 680 mm

D 600 mm

H 990 mm / 1010 mm with legs

Storage bin capacity:

50 kg

Dimensions:

W 1250 mm

D 622 mm

H 779 mm / 809 mm with legs

Storage bin capacity:

70 kg

Dimensions:

W 1078 mm

D 715 mm

H 1005 mm / 1085 mm with legs

AC SERIES - R290



Specsheets



AC 47

Cube size:
Medium cube

Condensing system:

Air cooled
Water cooled

Max daily production:
27 kg Medium cubes

AC 57

Cube size:
Small cube
Medium cube
Large cube

Condensing system:

Air cooled
Water cooled

Max daily production:
34 kg Medium cubes

AC 87

Cube size:
Small cube
Medium cube
Large cube

Condensing system:

Air cooled
Water cooled

Max daily production:
44 kg Medium cubes

AC 107

Cube size:
Medium cube
Large cube

Condensing system:

Air cooled
Water cooled

Max daily production:
54 kg Medium cubes



Storage bin capacity:

9 kg

Dimensions:

W 386 mm
D 600 mm
H 645 mm



Storage bin capacity:

12 kg

Dimensions:

W 386 mm
D 600 mm
H 695 mm



Storage bin capacity:

19 kg

Dimensions:

W 531 mm
D 600 mm
H 785 mm / 875 mm with legs



Storage bin capacity:

23 kg

Dimensions:

W 531 mm
D 600 mm
H 840 mm / 930 mm with legs

Clean alert: advises with a blink when it's time to clean the filter.

Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.

Scale accumulation preventing system: traps ice makers' enemy No. 1 in one place and makes it harmless.

Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier.

Built-in storage bin: allows most undercounter installations for easier fit-in solutions.

EcoX: the AC series is available on the EcoX version, using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

AC 127

Cube size:

Small cube
Medium cube
Large cube

Condensing system:

Air cooled
Water cooled

Max daily production:

75 kg Medium cubes

AC 177

Cube size:

Small cube
Medium cube
Large cube

Condensing system:

Air cooled
Water cooled

Max daily production:

83 kg Medium cubes

AC 207

Cube size:

Small cube
Medium cube
Large cube
Extra Large cube

Condensing system:

Air cooled
Water cooled

Max daily production:

150 kg Medium cubes

AC 227

Cube size:

Small cube
Medium cube
Large cube

Condensing system:

Air cooled
Water cooled

Max daily production:

165 kg Medium cubes



Storage bin capacity:

39 kg

Dimensions:

W 680 mm
D 600 mm
H 920 mm / 1010 mm with legs

Storage bin capacity:

48 kg

Dimensions:

W 680 mm
D 600 mm
H 990 mm / 1080 mm with legs

Storage bin capacity:

50 kg

Dimensions:

W 1250 mm
D 622 mm
H 779 mm / 809 mm with legs

Storage bin capacity:

70 kg

Dimensions:

W 1078 mm
D 715 mm
H 1005 mm / 1085 mm with legs

MXG SERIES - R290

XSafe



Specsheets



MXG 327

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
152 kg Medium cubes

MXG 427

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
170 kg Medium cubes

MXG 437

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
195 kg Medium cubes

MXG 637

Cube size:
Small cube
Medium cube
Large cube
Extra Large cube
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
300 kg Medium cubes



Dimensions (Head only):

W 560 mm
D 700 mm
H 720 mm

Recommended bins:

SB 193, SB 322

Dimensions (Head only):

W 560 mm
D 700 mm
H 720 mm

Recommended bins:

SB 193, SB 322

Dimensions (Head only):

W 765 mm
D 700 mm
H 720 mm

Recommended bins:

SB 393, SB 530

Dimensions (Head only):

W 765 mm
D 700 mm
H 1125 mm

Recommended bins:

SB 393, SB 530

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.

External indicator lights: keep ice maker's operations under constant surveillance.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.

Clean alert: advises with a blink when it's time to clean the filter.

Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.

Head only ice maker: requires a separate storage bin to store the ice produced.*

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

MXG 438 - R452

Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled remote
Max daily production:
190 kg Medium cubes

MXG 638 - R452

Cube size:
Small cube
Medium cube
Large cube
Extra Large cube
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
370 kg Medium cubes

MXG 938 - R452

Cube size:
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
400 kg Medium cubes

DXG 37

Ice Dispenser
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
30 kg Medium cubes



Dimensions (Head only):

W 765 mm
D 700 mm
H 720 mm

Recommended bins:

SB 393, SB 530

Dimensions (Head only):

W 765 mm
D 700 mm
H 1125 mm

Recommended bins:

SB 393, SB 530

Dimensions (Head only):

W 765 mm
D 700 mm
H 1235 mm

Recommended bins:

SB 393, SB 530

Storage bin capacity:

11 kg

Dimensions:

W 380 mm
D 515 mm
H 1606 mm /1696 mm with legs

* For all possible bin combinations available, please refer to chart at page 66.

Creatively Chilled



otsman





DICE



Classic six-sided ice cube. Its greater surface for heat exchange promotes rapid chilling.

The perfect solution for QSR, cafés, banquet venues, catering and cinemas.



**Half Dice
Small Cube**

6 g
W 10 mm / D 22 mm / H 28 mm



**Dice
Medium Cube**

10 g
W 22 mm / D 22 mm / H 22 mm



Large

15 g
W 28 mm / D 22 mm / H 28 mm

NXW SERIES - R290

XSafe



Specsheets



NXW 307

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled
Water cooled

Max daily production:

150 kg Dice cubes

NXW 457

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled
Water cooled

Max daily production:

200 kg Dice cubes

NXW 507

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled
Water cooled

Max daily production:

220 kg Dice cubes

NXW 607

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled
Water cooled

Max daily production:

280 kg Dice cubes



Dimensions (Head only):

W 565 mm
D 640 mm
H 635 mm

Recommended bins:

SB 193, SB 393, SB 530



Dimensions (Head only):

W 767 mm
D 636 mm
H 600 mm

Recommended bins:

SB 393, SB 530, SB 948



Dimensions (Head only):

W 565 mm
D 640 mm
H 635 mm

Recommended bins:

SB 193, SB 393, SB 530



Dimensions (Head only):

W 767 mm
D 636 mm
H 600 mm

Recommended bins:

SB 393, SB 530, SB 948

NXW series

Dice, Half Dice or Large solid ice cubes
Meets ENERGY STAR and LEED Eligibility Criteria
SELF SANITATION System XSafe®
Hinged front panel
Tools free removal of internal parts (water sump, distribution tube, pump, etc)
Super easy internal cleaning
Natural refrigerant R290 with GWP 3 and ODP 0
Very large air vents, keeping high yield in hot environment
Remote service support capability with XWave free App.
Delayed automatic start
Automatic Cleaning cycle

NXW 707

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled
Water cooled

Max daily production:

320 kg Dice cubes

NXW 1007

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled
Water cooled

Max daily production:

480 kg Dice cubes



Dimensions

W 565 mm
D 640 mm
H 683 mm

Recommended bins:

SB 193, SB 393, SB 530



Dimensions

W 767 mm
D 636 mm
H 780 mm

Recommended bins:

SB 393, SB 530, SB 948

NU SERIES - R290
NW SERIES - R290

XSafe



Specsheets



NU 157

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled
Water cooled

Max daily production:

85 kg Dice cubes

NU 227

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled
Water cooled

Max daily production:

109 kg Dice cubes

NU 307

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled
Water cooled

Max daily production:

142 kg Dice cubes



Storage bin capacity:

20 kg

Dimensions:

W 600 mm
D 610 mm
H 744 mm / 770 mm
with short legs



Storage bin capacity:

37 kg

Dimensions:

W 650 mm
D 690 mm
H 842 mm / 870 mm
with short legs



Storage bin capacity:

37 kg

Dimensions:

W 650 mm
D 690 mm
H 869 mm / 1003 mm
with long legs

NU series

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Front-in & front-out air flow: no need to leave space on the back.

One touch cleaning: reduces labor costs while saving time and simplifies cleaning process.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and make your ice maker live longer.

Ergonomic access to ice with sliding disappearing door: one touch door lift, makes barman's life significantly easier.

Easy cleaning: through routine maintenance.

Built-in storage bin: allows undercounter installations for easier fit-in solution, specifically for coffee shops.

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

NW series

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.

One touch cleaning: reduces labor costs while saving time and simplifies cleaning process.

Front evaporator access: immediate access to the evaporating plate for quick self-maintenance operations.

Stackable: add flexibility! (only 30" models).

Condenser air filter: removable for easy maintenance.

Top exhaust airflow: exit of hot air from the top, no free space required on sides (only 22" NW307 and NW508).

Head only ice maker: requires a separate storage bin to collect the ice produced*.

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

NW 307 - R290

Cube size:

Half Dice

Dice

Large

Condensing system:

Air cooled

Water cooled

Max daily production:

190 kg Dice cubes

NW 507 - R290

Cube size:

Half Dice

Dice

Large

Condensing system:

Air cooled

Water cooled

Max daily production:

210 kg Dice cubes



Dimensions (Head only):

W 557 mm

D 610 mm

H 609 mm

Recommended bins:

SB 193, SB 322

Dimensions (Head only):

W 557 mm

D 610 mm

H 609 mm

Recommended bins:

SB 193, SB 322

* For all possible bin combinations available, please refer to chart at page 66.

NW SERIES

XSafe



Specsheets



NW 457 - R290

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled

Max daily production:

220 kg Dice cubes

NW 607 -R290

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled

Water cooled

Max daily production:

309 kg Dice cubes

NW 608 -R452

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled

Water cooled

Air cooled remote

Max daily production:

320 kg Dice cubes



Dimensions (Head only):

W 760 mm
D 620 mm
H 575 mm

Recommended bins:

SB 393, SB 530



Dimensions (Head only):

W 760 mm
D 620 mm
H 575 mm

Recommended bins:

SB 393, SB 530



Dimensions (Head only):

W 760 mm
D 620 mm
H 575 mm

Recommended bins:

SB 393, SB 530

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.

One touch cleaning: reduces labor costs while saving time and simplifies cleaning process.

Front evaporator access: immediate access to the evaporating plate for quick self-maintenance operations.

Stackable: add flexibility! (only 30" models).

Condenser air filter: removable for easy maintenance.

Top exhaust airflow: exit of hot air from the top, no free space required on sides (only 22" NW308 and NW508).

Head only ice maker: requires a separate storage bin to collect the ice produced*.

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

NW 1008 - R452

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled
Water cooled
Air cooled remote

Max daily production:

485 kg Dice cubes

NW 1408 - R452

Cube size:

Half Dice
Dice
Large

Condensing system:

Air cooled
Water cooled
Air cooled remote

Max daily production:

680 kg Dice cubes



Dimensions (Head only):

W 760 mm
D 620 mm
H 800 mm

Recommended bins:

SB 530, SB 948

Dimensions (Head only):

W 765 mm
D 610 mm
H 1000 mm


Recommended bins:

SB 530, SB 948

* For all possible bin combinations available, please refer to chart at page 66.



NUGGET



Compressed flake ice available either in regular micro-cubes or irregular chips. Multi-use versatility that's great with carbonated drinks and smoothies, while a perfect option for food and plate displays. Long lasting, easy to use, high and fast displacement, and hands-free dispensing.



Nugget

1 g / Ø 11 mm / H 13 mm
Residual water content 8%



Cubelet

Residual water content 8%

MFN SERIES



Specsheets



MFN 46 - R452

Ice type:

Nugget

Condensing system:

Air cooled

Water cooled

Max daily production:

270 kg

MFN 47 - R290

Ice type:

Nugget

Condensing system:

Air cooled

Max daily production:

290 kg

MFN 56 - R452

Ice type:

Nugget

Condensing system:

Air cooled

Water cooled

Max daily production:

470 kg

MFN 57 - R290

Ice type:

Nugget

Condensing system:

Air cooled

Max daily production:

350 kg



Dimensions

(Head only):

W 538 mm

D 663 mm

H 650 mm

Recommended bins:

SB 193, SB 322

Dimensions

(Head only):

W 538 mm

D 663 mm

H 650 mm

Recommended bins:

SB 193, SB 322

Dimensions

(Head only):

W 538 mm

D 663 mm

H 790 mm

Recommended bins:

SB 393, SB 530

Dimensions

(Head only):

W 538 mm

D 663 mm

H 790 mm

Recommended bins:

SB 393, SB 530

Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.

External indicator lights: keep ice machine's operations under constant surveillance.

Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.

Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.

Head only ice maker: requires a separate storage bin to store the ice produced.*

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744. (MFN 47/ MFN 57)

MFN 86 - R452

Ice type:

Nugget

Condensing system:

Air cooled

Water cooled

Max daily production:

1900 kg

MFN 88 Split

Ice type:

Nugget

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:

1900 kg



Dimensions

(Head only):

W 1080 mm

D 780 mm

H 1140 mm / 1255 mm with legs

Recommended bins:

UBH 2250, SIS 1350

Dimensions:

W 569 mm

D 869 mm

H 1271 mm

Recommended bins:

UBH 2250, SIS 1350

* For all possible bin combinations available, please refer to chart at page 66.

DXN SERIES – R290 AFC SERIES



Specsheets



DXN 107

Ice & Water Dispenser

Ice type:

Cubelet

Condensing system:

Air cooled

Max daily production:

70 kg

Servings in peak time: 100

Servings per day: 1200



Storage bin capacity:

5 kg

Dimensions:

W 427 mm

D 552 mm

H 619 mm

DXN 187

Ice & Water Dispenser

Ice type:

Cubelet

Condensing system:

Air cooled

Max daily production:

100 kg

Servings in peak time: 200

Servings per day: 2400



Storage bin capacity:

10 kg

Dimensions:

W 427 mm

D 552 mm

H 769 mm

DXN INFINITY

Ice & Water Dispenser

Ice type:

Nugget

Condensing system:

Air cooled

Max daily production:

430 kg

Available

BUILT-IN or STAND ALONE



Storage bin capacity:

10 kg

Dimensions:

W 585 mm

D 608 mm

H 1478 mm

DXN series

Appealing design: it can be smartly positioned in any situation, from luxury lounges to unconventional traditional pubs, allowing customers to cool their drinks to their own taste, without any hygiene hazards.

Display: appealing frontal all-black touch screen display. Touch-activated or touch-free version.

Footprint: large flow of ice in a small footprint.

Simple serviceability: extractable washable drip tray and anti-clog drain filter.

AFC series

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer (only AFC 134).

PWD - Progressive Water Discharge (optional): pumps excess residual water up to a distance of 15 meters (only AFC 134).

Built-in storage bin: allows undercounter installations for easier fit-in solution.

AFC 87

Ice type:

Cubelet

Condensing system:

Air cooled

Water cooled

Max daily production:

80 kg

AFC 137

Ice type:

Cubelet

Condensing system:

Air cooled

Water cooled

Max daily production:

160 kg

EFC 137

Ice type:

Cubelet

Condensing system:

Air cooled

Water cooled

Optional:

PWD - Progressive Water Discharge

Max daily production:

160 kg



Storage bin capacity:

25 kg

Dimensions:

W 535 mm

D 626 mm

H 800 mm / 889 mm with legs



Storage bin capacity:

44 kg

Dimensions:

W 950 mm

D 605 mm

H 789 mm / 869 mm with legs



Storage bin capacity:

44 kg

Dimensions:

W 950 mm

D 605 mm

H 789 mm / 869 mm with legs

Stirring Spirits







FLAKE



Ice produced just below zero degrees Celsius. Highly versatile, it's suitable for multiple applications, including fish display counters, buffet displays, frozen drink preparations.



Flake

Residual water content 25%



Superflake

Residual water content 15%

**AF SERIES
EF SERIES
XSafe**



Specsheets



AF 87
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
70 kg

**AF 87 LAB for Medical
segment**

AF 107
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
130 kg

AF 127
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
126 kg

AF 157
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
190 kg



Storage bin capacity:
25 kg
Dimensions:
W 535 mm
D 626 mm
H 800 mm / 889 mm
with legs



Storage bin capacity:
30 kg
Dimensions:
W 592 mm
D 622 mm
H 997 mm / 1077 mm
with legs



Storage bin capacity:
40 kg
Dimensions:
W 950 mm
D 605 mm
H 789 mm / 869 mm with
legs



Storage bin capacity:
60 kg
Dimensions:
W 950 mm
D 605 mm
H 1000 mm / 1080 mm
with legs

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Clean alert: advises with a blink when it's time to clean the filter.

Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.

Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

PWD - Progressive Water Discharge (optional on AF series): pumps excess residual water up to a distance of 15 meters.

Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.

Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier (AF series).

AF series - built-in storage bin: allows most undercounter installations for easier fit-in solutions.

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

EF 107

Ice type:

Flake

Condensing system:

Air cooled
Water cooled

Optional:

PWD - Progressive Water
Discharge

Max daily production:

130 kg



Storage bin capacity:

30 kg

Dimensions:

W 592 mm
D 622 mm
H 997 mm / 1077 mm
with legs

EF 127

Ice type:

Flake

Condensing system:

Air cooled
Water cooled

Optional:

PWD - Progressive Water
Discharge

Max daily production:

126 kg



Storage bin capacity:

40 kg

Dimensions:

W 950 mm
D 605 mm
H 789 mm / 869 mm with
legs

EF 157

Ice type:

Flake

Condensing system:

Air cooled
Water cooled

Optional:

PWD - Progressive Water
Discharge

Max daily production:

190 kg



Storage bin capacity:

60 kg

Dimensions:

W 950 mm
D 605 mm
H 1000 mm / 1080 mm
with legs

MXF SERIES



Specsheets



MXF 327

Ice type:

Superflake

Condensing system:

Air cooled

Water cooled

Max daily production:

133 kg

MXF 427

Ice type:

Superflake

Condensing system:

Air cooled

Water cooled

Max daily production:

240 kg

MXF 627

Ice type:

Superflake

Condensing system:

Air cooled

Water cooled

Max daily production:

300 kg



Dimensions

(Head only):

W 560 mm

D 615 mm

H 450 mm

Recommended bins:

SB 193, SB 322



Dimensions

(Head only):

W 560 mm

D 600 mm

H 600 mm

Recommended bins:

SB 193, SB 322



Dimensions

(Head only):

W 560 mm

D 615 mm

H 600 mm

Recommended bins:

SB 193, SB 322

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.

Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.

Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.

Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.

Head only ice maker: requires a separate storage bin to store the ice produced.*

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

New display: touch and smart.

XWave: new App to control the ice machine

MXF 1027

Ice type:

Superflake

Condensing system:

Air cooled

Water cooled

Max daily production:

500 kg

MXF 1237

Ice type:

Superflake

Condensing system:

Air cooled

Water cooled

Max daily production:

550 kg



Dimensions

(Head only):

W 560 mm

D 615 mm

H 735 mm

Recommended bins:

SB 193, SB 322



Dimensions

(Head only):

W 765 mm

D 615 mm

H 650 mm

Recommended bins:

SB 193, SB 322

MF SERIES

XSafe



Specsheets



MF 37 - R290

Ice type:
Flake
Condensing system:
Air cooled
Max daily production:
200 kg

MF 47 - R290

Ice type:
Superflake
Condensing system:
Air cooled
Max daily production:
300 kg

MF 46 - R452

Ice type:
Superflake
Condensing system:
Air cooled
Max daily production:
330 kg

MF 57 - R290

Ice type:
Superflake
Condensing system:
Air cooled
Max daily production:
450 kg



Dimensions (Head only):
W 564 mm
D 536 mm
H 531 mm
Recommended bins:
SB 193, SB 322



Dimensions (Head only):
W 538 mm
D 663 mm
H 650 mm
Recommended bins:
SB 193, SB 322



Dimensions (Head only):
W 538 mm
D 663 mm
H 650 mm
Recommended bins:
SB 193, SB 322



Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 393, SB 530, SB 948,
SB 1025

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.

External indicator lights: keeps ice maker's operations under constant surveillance.

Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.

Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.

Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.

Head only ice maker: requires a separate storage bin to store the ice produced.*

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

MF 56 - R452

Ice type:

Superflake

Condensing system:

Air cooled

Water cooled

Air cooled remote

Max daily production:

600 kg



Dimensions

(Head only):

W 538 mm

D 663 mm

H 790 mm

Recommended bins:

SB 393, SB 530, SB 948,
SB 1025

MF 66 - R452

Ice type:

Superflake

Condensing system:

Air cooled

Water cooled

Air cooled remote

Max daily production:

1150 kg



Dimensions

(Head only):

W 1065 mm

D 698 mm

H 850 mm

Recommended bins:

SB 948, SB 1025, UBH 1100,
UBH 1600

MF 86 - R452

Ice type:

Superflake

Condensing system:

Air cooled

Water cooled

Air cooled remote

Max daily production:

2500 kg



Dimensions:

W 1080 mm

D 780 mm

H 1140 mm / 1255 mm with legs

Recommended bins:

UBH 2250, SIS 1350

* For all possible bin combinations available, please refer to chart at page 66.

MF SERIES XSafe



Specsheets



MF 58 Split

Ice type:

Superflake

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:

600 kg

MF 68 Split

Ice type:

Superflake

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:

1220 kg

MF 88 Split

Ice type:

Superflake

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:

2500 kg



Dimensions

(Head only):

W 538 mm

D 663 mm

H 790 mm

Recommended bins:

SB 530, SB 948, SB 1025



Dimensions

(Head only):

W 538 mm

D 663 mm

H 790 mm

Recommended bins:

SB 948, SB 1025, UBH 1100, UBH 1600



Dimensions:

W 540 mm

D 780 mm

H 1140 mm / 1255 mm with legs

Recommended bins:

UBH 2250, SIS 1350

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.

External indicator lights: keeps ice maker's operations under constant surveillance.

Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.

Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.

Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.

Head only ice maker: requires a separate storage bin to store the ice produced.*

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

MF 59 Split - R744

Ice type:

Superflake

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:

700 kg



Dimensions

(Head only):

W 538 mm

D 663 mm

H 790 mm

Recommended bins:

SB 530, SB 948, SB 1025

MF 69 Split - R744

Ice type:

Superflake

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:

1400 kg



Dimensions (Head only):

W 538 mm

D 663 mm

H 790 mm

Recommended bins:

SB 948, SB 1025, UBH 1100,

UBH 1600



SCALE



Featuring less than 2% residual water content, it's our coldest form of ice and is very dry. Made by irregular fragments of ice with a variable thickness adjustable from 1 to 2 mm. Ideal for food processing and large food displays in supermarkets.



Scale ice

Residual water content 2%

MAR SERIES COMPACT MODELS



Specsheets



MAR 56

Compact configuration

Ice type:
Scale ice

Scale ice

Condensing system:

Air cooled

Water cooled

Max daily production:

426 kg

MAR 76

Compact configuration

Ice type:
Scale ice

Scale ice

Condensing system:

Air cooled

Water cooled

Max daily production:

570 kg

MAR 106

Compact configuration

Ice type:
Scale ice

Scale ice

Condensing system:

Air cooled

Water cooled

Max daily production:

785 kg

MAR 126

Compact configuration

Ice type:
Scale ice

Scale ice

Condensing system:

Air cooled

Water cooled

Max daily production:

1000 kg



Dimensions:

W 906 mm

D 621 mm + 192 mm

H 1125 mm



Dimensions:

W 906 mm

D 621 mm + 192 mm

H 1125 mm



Dimensions:

W 906 mm

D 621 mm + 192 mm

H 1125 mm



Dimensions:

W 906 mm

D 621 mm + 192 mm

H 1125 mm

Stainless steel horizontal evaporating drum: for a life-long working endurance.

Floor standing compatible: delivers ice straight into carts, trolleys or ice boxes.

Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.

All water in / all ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.

Compact configuration: includes evaporator, compressor and condensing units, and it is supplied without panels on the group (optional).

MAR 206

Compact configuration

Ice type:

Scale ice

Condensing system:

Air cooled

Water cooled

Max daily production:

1850 kg

MAR 306

Compact configuration

Ice type:

Scale ice

Condensing system:

Air cooled remote

Water cooled

Max daily production:

2450 kg



Dimensions:

W 1326 mm

D 676 mm + 177 mm

H 1125 mm



Dimensions:

W 1326 mm

D 676 mm + 177 mm

H 1125 mm

MAR SERIES SPLIT MODELS



Specsheets



MAR 78

Split configuration

Ice type:
Scale ice

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:
570 kg

MAR 79 - R744

Split configuration

Ice type:
Scale ice

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:
540 kg

MAR 108

Split configuration

Ice type:
Scale ice

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:
785 kg

MAR 109 - R744

Split configuration

Ice type:
Scale ice

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:
720 kg

MAR 128

Split configuration

Ice type:
Scale ice

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:
1000 kg



Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm



Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm



Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm



Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm



Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

Stainless steel horizontal evaporating drum: for a life-long working endurance.

Floor standing compatible: delivers ice straight into carts, trolleys or ice boxes.

Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.

All water in / all ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.

Split configuration: evaporator supplied only. For connections to remote condensing units, either dedicated or centralized.

EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

MAR 129 - R744

Split configuration

Ice type:

Scale ice

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:

1000 kg

MAR 208

Split configuration

Ice type:

Scale ice

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:

1850 kg

MAR 209 - R744

Split configuration

Ice type:

Scale ice

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:

1850 kg

MAR 308

Split configuration

Ice type:

Scale ice

Condensing system:

For connection to dedicated or centralized refrigeration system

Max daily production:

2450 kg



Dimensions:

W 906 mm

D 621 mm + 192 mm

H 520 mm



Dimensions:

W 1326 mm

D 661 mm + 192 mm

H 520 mm



Dimensions:

W 1326 mm

D 661 mm + 192 mm

H 520 mm



Dimensions:


W 1326 mm

D 661 mm + 192 mm

H 520 mm




Ice Storage Systems




SB SERIES

Slope front bins. Insulated, inside rounded corner, for daily turnover of ice.
Easy to clean and maintain, removable gaskets.
The reinforced hinges provide enhanced durability. The slope front makes access to ice as easy as possible.
From 129 kg to 478 kg storage capacity range.
Compatible with any type of ice.



UBH SERIES

Upright bins. First-in first-out concept provides a constantly fresh ice supply and high level of hygiene.
Insulated, inside rounded corner, of higher capacity demand for ice and longer stock periods.
Sturdy enough to sustain even the largest ice makers. Front windows allow operators to always keep an eye on the product inside.
From 553 kg to 1068 kg storage capacity.
Compatible with any type of ice.



SIS SERIES

Upright bins with integral trolleys. First-in first-out concept provides a constantly fresh ice supply and high level of hygiene.
73 kg capacity trolleys, insulated and top-closed with lids, facilitate ice transportation. Ice falls down into trolleys gravitationally, with no need of tiresome shoveling.
Insulated, inside rounded corner, for higher capacity demand for ice and longer stock periods. Sturdy enough to sustain even the largest ice makers.
Front windows allow operators to always keep an eye on the product inside.
From 210 kg to 759 kg storage capacity.
Compatible with any type of ice.

SB SERIES

SB 193
Storage capacity:
129 kg

SB 293
Storage capacity:
123 kg

SB 322
Storage capacity:
168 kg

SB 393
Storage capacity:
181 kg

SB 530
Storage capacity:
243 kg



Dimensions:
W 568 mm
D 845 mm
H 1048 mm



Dimensions:
W 568 mm
D 845 mm
H 1048 mm



Dimensions:
W 569 mm
D 869 mm
H 1271 mm



Dimensions:
W 768 mm
D 845 mm
H 1048 mm



Dimensions:
W 771 mm
D 865 mm
H 1270 mm

SB 550
Storage capacity:
252 kg

SB 948
Storage capacity:
406 kg

SB 1025
Storage capacity:
478 kg



Dimensions:
W 1082 mm
D 824 mm
H 968 mm



Dimensions:
W 1238 mm
D 869 mm
H 1272 mm



Dimensions:
W 1331 mm
D 871 mm
H 1272 mm

UBH SERIES

UBH 1100

Storage capacity:
553 kg



Dimensions:
W 1220 mm
D 1128 mm
H 1427 mm

UBH 1600

Storage capacity:
812 kg



Dimensions:
W 1524 mm
D 1128 mm
H 1731 mm

UBH 2250

Storage capacity:
1068 kg



Dimensions:
W 1828 mm
D 1468 mm
H 1292 mm

SIS SERIES

SIS 300

Storage capacity:
137 kg + 73 kg ice cart



Dimensions:
W 884 mm
D 1025 mm
H 1343 mm

SIS 700

Storage capacity:
318 kg + 73 kg ice cart



Dimensions:
W 885 mm
D 1267 mm
H 1803 mm

SIS 1350

Storage capacity:
613 kg + 73 kg + 73 kg ice carts



Dimensions:
W 1753 mm
D 1267 mm
H 1803 mm

ACCESSORIES CARTS AND TOTES





Head/bin combination chart

	SB193/NB193	SB322	SB293	SB393/NB393	SB530	SB550	SB948
MODULAR UNITS / BINS	129	168	123	181	243	252	406
MXG327	✓	✓					
MXG427	✓	✓				BINTOPMXGSB55	
MXG437			✓	✓	✓	BINTOPMXGSB55	
MXG638/MXG637			✓	✓	✓	BINTOPMXGSB55	CBT48EAMCD
MXG938			✓	✓	✓	BINTOPMXGSB55	CBT48EAMCD
NW307/NXW307	✓	✓	CBT30EMCD	CBT30EMCD	CBT30EMCD		
NW308/NXW308	✓	✓	CBT30EMCD	CBT30EMCD	CBT30EMCD		
NW507/NXW507	✓	✓	CBT30EMCD	CBT30EMCD	CBT30EMCD		
NW508/NXW508	✓	✓	CBT30EMCD	CBT30EMCD	CBT30EMCD		
NW457/NXW457			✓	✓	✓	CBT42EMCD	CBT48EAMCD
NW458/NXW458			✓	✓	✓	CBT42EMCD	CBT48EAMCD
NW607/NXW607			✓	✓	✓	CBT42EMCD	CBT48EAMCD
NW608/NXW608			✓	✓	✓	CBT42EMCD	CBT48EAMCD
NXW707	✓	✓	CBT30EMCD	CBT30EMCD	CBT30EMCD		
NXW708	✓	✓	CBT30EMCD	CBT30EMCD	CBT30EMCD		
NXW1007			✓	✓	✓	CBT42EMCD	CBT48EAMCD
NW1008/ NXW1008			✓	✓	✓	CBT42EMCD	CBT48EAMCD
NW1408					✓	CBT42EMCD	CBT48EAMCD
MFN46/MFN47	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MFN56/MFN57	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MFN86							
MFN88							
MXF 327	✓	✓	CBT 30 EFCD	CBT 30 EFCD	CBT 30 EFCD	CBT 42 EFCD	
MXF 427	✓	✓	CBT 30 EFCD	CBT 30 EFCD	CBT 30 EFCD	CBT 42 EFCD	CBT 48 EFCD
MXF 627	✓	✓	CBT 30 EFCD	CBT 30 EFCD	CBT 30 EFCD	CBT 42 EFCD	CBT 48 EFCD
MXF 1027		✓	CBT 30 EFCD	CBT 30 EFCD	CBT 30 EFCD	CBT 42 EFCD	CBT 48 EFCD
MXF 1237			✓	✓	✓	CBT 42 EFCD	CBT 48 EFCD
MF37	✓	✓	CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF46	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF47	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF56	CBT22EFCD		CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF57			CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF58			CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF59			CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF66							
MF68							CBT48FMCD
MF69							CBT48FMCD
MF86/88							
MAR56							
MAR76/78							
MAR79							
MAR106/108							
MAR109							
MAR126/128/129							
MAR206/208							
MAR306/308							

✓ Perfect combination between ice-maker and bin ● Ice chute cut-out performed upon installation
 CBT xxxxxxxxx need additional bin top

SB1025	UBH1100	UBH1600	UBH2250	SIS300	SIS700	SIS1350	BINS / MODULAR UNITS
478	553	812	1068	137 + 73	318 + 73	613+73+73	
							MXG327
	●	●			●	●	MXG427
	●	●			●	●	MXG437
CBT52EAMCD	●	●			●	●	MXG638/MXG637
CBT52EAMCD	●	●			●	●	MXG938
					●	●	NW307/NXW307
					●	●	NW308/NXW308
					●	●	NW507/NXW507
					●	●	NW508/NXW508
					●	●	NW457/NXW457
					●	●	NW458/NXW458
					●	●	NW607/NXW607
					●	●	NW608/NXW608
					●	●	NXW707
					●	●	NXW708
CBT52EAMCD	●	●			●	●	NXW1007
CBT52EAMCD	●	●			●	●	NW1008/ NXW1008
CBT52EAMCD	●	●			●	●	NW1408
CBT52FMCD	●			●	●		MFN46/MFN47
CBT52FMCD	●	●		●	●		MFN56/MFN57
			●			●	MFN86
			●			●	MFN88
				●			MXF 327
				●			MXF 427
CBT 52 EFCD	●			●	●		MXF 627
CBT 52 EFCD	●	●		●	●		MXF 1027
CBT 52 EFCD	●	●		●	●		MXF 1237
				●			MF37
CBT52FMCD	●			●	●		MF46
CBT52FMCD	●			●	●		MF47
CBT52FMCD	●	●		●	●		MF56
CBT52FMCD	●	●		●	●		MF57
CBT52FMCD	●	●		●	●		MF58
CBT52FMCD	●	●		●	●		MF59
	●	●	●			●	MF66
CBT52FMCD	●	●	●			●	MF68
CBT52FMCD	●	●	●			●	MF69
			●			●	MF86/88
	●	●	●	●	●	●	MAR56
	●	●	●	●	●	●	MAR76/78
	●	●	●	●	●	●	MAR79
	●	●	●		●	●	MAR106/108
	●	●	●		●	●	MAR109
	●	●	●		●	●	MAR126/128/129
		●	●			●	MAR206/208
		●	●			●	MAR306/308

OTHER PRODUCTS

SCW 14 B - EVO - R290

Pressure water cooler

Max cooled litres/hour:

50 litres



Dimensions:

W 404 mm

D 332 mm

H 1034 mm

SCW 14 FP - EVO - R290

Pressure water cooler

Max cooled litres/hour:

50 litres



Dimensions:

W 404 mm

D 332 mm

H 1034 mm

SW 12 USPH - R290

Pressure water cooler

Max cooled litres/hour:

50 litres



Dimensions:

W 400 mm

D 330 mm

H 865 mm

SW 12 S - R290

Pressure water cooler

Max cooled litres/hour:

50 litres



Dimensions:

W 432 mm

D 360 mm

H 505 mm

HD 22

Ice dispenser

Storage Capacity:

59 kg

Dispensing unit to be combined with an ice maker



Dimensions:

W 559 mm

D 850 mm

H 1351 mm

HD 30

Ice dispenser

Storage Capacity:

81 kg

Dispensing unit to be combined with an ice maker



Dimensions:

W 762 mm

D 850 mm

H 1351 mm

CRUSHMAN 360

Crushes all ice cubes

6 kg per minute



Dimensions:

W 245 mm

D 430 mm

H 490 mm

RBC Stand and Carts

RBC 200: 100 kg


RBC 300: 150 kg

RBC 500: 250 kg



EH Series ECLIPSE

Outdoor pre-charged refrigeration system specific for Prodigy Plus units. Designed to eliminate heat and noise from service area of the restaurant.





Global supplier for global markets

SCOTSMAN USA - HQ

USA, Canada, Latin America
Scotsman Ice Systems
101 Corporate Woods Parkway
Vernon Hills, IL 60061
Ph: +1-847-215 4500
Fax: +1-847-913 9844
sales@scotsman-ice.com
www.scotsman-ice.com

SCOTSMAN

INTERNATIONAL - HQ
Europe, Africa, Middle East,
Asia & Pacific
Scotsman Ice
Via Lainate 31
20005 Pogliano Milanese
Milan - Italy
Ph: +39-02-93960 208
info@scotsman.it
www.scotsman-ice.it

CHINA MAINLAND

Scotsman Ice Systems (Shanghai)
Co., Ltd.
Room 2505, Building 2
20 Xuhong Middle Road,
Xuhui District
Shanghai China 200235
Ph: +86-21-6131 3200
Fax: +96-21-6131 3330
sales@scotsman-china.com
www.scotsman-china.com

ASIA & PACIFIC

Scotsman Industries Singapore
Pte Ltd
140 Paya Lebar Road
#08-09 AZ @ Paya Lebar
Singapore 409015
Ph: +65-6738 5393
Fax: +65-6738 1959
scotsman@scotsman.com.sg

SOUTH & CENTRAL AFRICA

Scotsman Ice Systems SA (Pty) Ltd
P.O. Box 30072, Jetpark, 1467
Unit 4 Lakeview Business Park
8-10 Yaldwyn Road, Jetpark,
Boksburg, RSA
Ph: +27-11-826-6742/1
+27-087-720 0245/6/7/8
Fax: +27-11-826-4123
+27-086-634 0803
stuart@scotsmansa.co.za
jennifer@scotsmansa.co.za

MIDDLE EAST & NORTH AFRICA

Scotsman Ice
Regional Branch (ME&NA)
POBox: 42026, Sharjah, UAE
Hamriyah Free-Zone Phase # 2,
Logistic Village Warehouse # LV-10/A
Ph: +9716-5262-944/945
Mob. Ph.+971-505-505-980
m.dawood@scotsman.ae

SPAIN

Scotsman España, S.L.U.
c/ Galapagar, 12
Poligono Industrial Ventorro del Cano
28925 Alcorcon (Madrid)
Ph: +34-91-1109796
Fax: +34-91-6337423
scotsman@scotsman-espana.es
www.scotsman-espana.es

SCOTSMAN-ICE.IT